



INDUSTRIAL ECOGLIX 100

CONSUMO: 90W 11700 LMS*



INDUSTRIAL ECOGLIX 120

CONSUMO: 100W 13003 LMS*



INDUSTRIAL ECOGLIX 150

CONSUMO: 123W 16800 LMS*



INDUSTRIAL ECOGLIX 240

CONSUMO: 172W 26.006 LMS*



INDUSTRIAL ECOGLIX 300

CONSUMO: 246W 32760 LMS*



FACTORGLIX 75FL IP20

CONSUMO: 55W/6797 LMS*



FACTORGLIX 150FL IP20

CONSUMO: 121W/14662 LMS*



FACTORGLIX 220FL IP20

CONSUMO: 182W/21994 LMS*



FACTORGLIX 65FL IP66

CONSUMO: 55W/6797 LMS*



FACTORGLIX 120FL IP66

CONSUMO: 92W/12087 LMS*



FACTORGLIX 185 FL IP66

CONSUMO: 138W/18706 LMS*



FACTOR GLIX C/
CÚPULA 120W - 150W
CONSUMO: 150W/VIDA
ÚTIL: 65.000 HS.

FACTOR GLIX C/
CÚPULA 60W - 100W
CONSUMO: 120W/VIDA
ÚTIL: 65.000 HS.